



Chilean mining hydraulic rock drill specifications

TECHNICAL SPECIFICATION Ranger DX700 is a hydraulic, self-propelled, self-contained, crawler based surface drilling rig equipped with a cabin (F.O.P.S. and R.O.P.S.) and rod ...

This document provides specifications for several hydraulic rock drill models, including the COP 1532, COP 1838ME/MEX, COP 1838HF, and COP ...

TECHNICAL SPECIFICATION Sandvik HL300 hydraulic rock drill is designed for long-hole production drilling on surface and rock bolting in hard rock bolting in underground hard rock ...

TECHNICAL SPECIFICATION Sandvik RD106 hydraulic rock drill is designed for a maximum recommended hole diameter of 45 mm. Typical applications are foundation drilling, road ...

TECHNICAL SPECIFICATION Sandvik RD921S is a hydraulic top hammer rock drill designed for Surface tophammer rigs. It is capable of drilling 64 - 89 mm holes up to 29 meters in depth. ...

Sandvik RD315 is a compact, robust and universal hydraulic percussive rock drill. It is known for its hydraulic efficiency and high penetration rate. Sandvik RD315 has excellent serviceability ...

The extreme compact design of Sandvik H200 hydraulic percussive rock drill, when mounted on the TUC bolting head, provides to Sandvik bolters an ability to install bolts wherever it is need ...

RDX5 rock drill is known for its exceptional durability. The robustness is achieved by less pressurized seams and simple design with only two moving parts. The design of the rock drill ...

DD311 DEVELOPMENT DRILL TECHNICAL SPECIFICATION The Sandvik DD311 is a single-boom electro-hydraulic jumbo, designed for fast and accurate drilling within drifting and ...

Thanks to the hydraulic system you don't have to worry about losing production time due to poor air pressure at large depths. We have also gone out of our way to design a system that helps ...

TECHNICAL SPECIFICATION Sandvik HL710 hydraulic rock drill is designed for long hole drilling of 64 - 115 mm diameter holes. It is used in Sandvik underground production and surface drill ...

TECHNICAL SPECIFICATION Sandvik HF820T hydraulic rock drill is designed for drilling 64-127 mm diameter holes. This rock drill belongs to Sandvik hydraulically controlled surface and ...



Chilean mining hydraulic rock drill specifications

TECHNICAL SPECIFICATION Sandvik HLX1 hydraulic rock drill is designed for small diameter holes. Typical application is drilling / bolting in confined environment with Sandvik DS211L-M ...

TECHNICAL SPECIFICATION Ranger DX900i is a hydraulic, self-propelled, self-contained, crawler based surface drilling rig equipped with a cabin (F.O.P.S. and R.O.P.S.) and rod ...

Four actions for successful drilling Action 1: Percussive Impact Percussive drilling breaks the rock by hammering impacts transferred from the rock drill to the drill bit at the bottom of the hole.

Commando(TM) DC300Ri drill rig is a hydraulic, self-propelled, compact drilling unit on a four-wheel oscillated drive carrier with full radio remote control. Easily ...

TECHNICAL SPECIFICATION Sandvik DL331 is a fully-mechanized, highly versatile and compact electro-hydraulic top hammer longhole drill designed for underground mining in 3 x 3 m or ...

TECHNICAL SPECIFICATION Sandvik DD210 is a compact and flexible single-boom electro-hydraulic jumbo for tunneling and mining development in cross sections up to 24 m². The ...

Sandvik HL820ST is a hydraulic top hammer rock drill designed for DL311 and DL321 underground longhole drills. It is capable of drilling 54 - 89 mm holes up to 38 meters in ...

SANDVIK H200 ROCK DRILL TECHNICAL SPECIFICATION Sandvik H200 hydraulic rock drill is designed for rock bolting on Sandvik rock support rigs. It is also suitable for tunneling and ...

TECHNICAL SPECIFICATION Sandvik HEX1 hydraulic rock drill is designed for a maximum recommended diameter of 45 mm. Typical application is foundation drilling, road cutting, ...

Introduction Drilling jumbo is a mining equipment widely used in underground mining if mining is done by drilling and blasting. It is also used in tunnel, culvert tunnelling engineering with ...

TECHNICAL SPECIFICATION Sandvik DS311D is a one-man-operated electro-hydraulic rock bolter for rock reinforcement in underground mines with small and medium cross sections.

TECHNICAL SPECIFICATION Sandvik DT821 is a two-boom electro hydraulic jumbo for fast and accurate drilling in tunneling and cavern excavation. The hydraulic controlled drilling system ...



Chilean mining hydraulic rock drill specifications

Web: <https://kwa-andries.co.za>