



How to put drill line on a franks rig

How do you spool a drill line?

rope during spooling and handling. Never weld the new drill line to the old drill line. Try to install the new drill line at a point in the drilling operation when there is a considerable amount of weight available to help seat (break in) the new drill line and assist spooling. Remove and inspect the brass inserts on the dead line anchor f

How to cut a drilling line?

Secure tag line to drilling line, use tag line to pull initial drilling line from drum. Assist in taping drilling line area being cut. Place drilling line in line cutter properly. Ensure drilling line is secured prior to cutting, to avoid any recoil in line. Start the cutoff as per plan. Note: Use the following as a protection Wireline cutter.

How do you install a drilling line?

Use tag line. Unlock brake handle and position drum for drilling line installation. Ensure proper installation of drilling line in drum. Rotate drum forward to proper position for installation of drilling line clamp. Lock down brake handle. STEP SUB PROCEDURE REMARKS Ensure proper installation of drilling line clamp.

Should I Weld a new drill line to the old drill line?

Never weld the new drill line to the old drill line. This will relieve twist that may be put in the rope during spooling and handling. Never weld the new drill line to the old drill line. Try to install the new drill line at a point in the drilling operation when there is a considerable amount of weight available to help seat (break in)

How do you install a snatch block on a drilling line?

Ensure brake handle is locked down. Watch for burrs /wickers and avoid pinch points. Use proper hand tools to install clamp. Attach snatch block to fast line and raise with air /hydraulic hoist to keep proper tension on drilling line while spooling drilling line on drum.

How to spool drilling line on drum?

Keep proper tension on drilling line while spooling drilling line on drum. Slip through as much line as required to put the desired wraps on the drum. Make sure that the wraps are tight and together. Tighten the wire line clamps on the anchor. Then, start to pick up the traveling block.

FRANKS 350 WORKOVER RIG (Ref#7959Tb) Manufactured 1983, 4 legged workover rig, 96" mast, PTO, mounted on Franks carrier with Detroit 60 Series engine, 100 ton blocks (spring ...

The VERSAFLO(TM) Time Saver Series technologies are designed to fill-up, circulation and flowback operations in both casing and drill pipe. These ...

Try to install the new drill line at a point in the drilling operation when there is a considerable amount of weight available to help seat (break in) the new drill line and assist spooling. Drill ...



How to put drill line on a franks rig

We'll also show you some of the most effective variations of this rig, which can help you to put a lot more fish in the boat. What is a Lindy rig? The ...

How Do You Set Up a Drop Rig? A drop rig is a type of fishing rig where the bait is allowed to fall to the bottom before being reeled in. The most ...

Double Drum, 90K Hook Load, Hi-Low Speed, 18" Ewbanks Table, Air Clutches, Kelly Line, Traveling Line and Small Winch with approx. 2,000' of 3/8" Cable. Drill is Plumbed for a Mud ...

Franks-300-Workover-Rig-Specs (1) - Free download as PDF File (.pdf), Text File (.txt) or read online for free. This document provides an inventory for the ...

Drill String should be positioned at bottom of last casing string and well secured. Operational issues may change position of drill string. Ensure that well bore is static. Assist in setting slips ...

Delivery Available for Franks Work Over Rig, we can deliver anywhere in the United States! Franks Double Drum back-in Wellservice/Workover unit. Lebus Grooved for drill line & sand ...

Try to install the new drill line at a point in the drilling operation when there is a considerable amount of weight available to help seat (break in) the new drill line and assist spooling.

1981 FRANKS 1287-160 Auction Results in Seminole, Oklahoma at Equipmentfacts. 1981 FRANKS EXPLORER III 1287/120 DTD-HT 96"-210K 4- AXLE WORKOVER RIG VIN/SN: ...

The most important line on our spudder rig is the drill line. This gets by far the most use operating the tools that make the hole, our ultimate ...

Drilling Rig Hoisting System It enable drilling rig to raise and lower working string into and out of well bore. main components of drilling rig hoisting system are: ...

Learn how to rig a fishing line with our comprehensive guide, covering choosing the right line, preparing the line, tying the hook, and advanced rigging techniques.

For proper operation, ensure that all components are correctly mounted and that all pneumatic and electrical connections are secure. The control / display console incorporates two displays ...

Before the drill string can be rotated, however, the drill pipe must be brought aboard the rig and properly positioned in the derrick. Very tall derricks are the most obvious clue that ...

FRANKS 210 DRILLING RIG (Ref #9327T) Built 1961, mounted on 1982 International truck with 466



How to put drill line on a franks rig

Industrial, PTO, Gardner Denver 6 x 9 mud pump, Mission centrifugal pump, air compressor, large...

Advancing the Drilling Industry Cutting off a Drilling Line: Safe Procedures For many years drilling contractors have extended the life of their ...

What is a Texas rig (and what is it good for)? A Texas rig is a weedless bottom fishing rig used for bass fishing, and consists of a bullet ...

Description For sale is a Franks Workover Rig Double, Franks Double drum back-in Wellservice/Workover unit. Lebus Grooved for drill line & sand line w / line ...

We have 10 Oilfield FRANKS Well Service | Workover Rigs Drilling Equipment for sale rent & auction. Find the new, used, & rental FRANKS Well Service | Workover Rigs you need. ...

ry little load. The drill line is not spooled t ht on the drum. The load is then applied to the drill line on the top layer which forces the wraps on the next lower layer apart allowing the top w p to ...

Web: <https://kwa-andries.co.za>