



## T45 drill rig

The Epiroc FlexiROC T45 Drilling Rig is a versatile and high-performance top hammer drill rig, engineered for demanding construction applications and ideal ...

The SmartROC T45 relies on automation functionalities to make sure you drill as planned. The automatic feed alignment ensures that you always maintain the desired angle when drilling, ...

The SmartROC T45 is a tophammer surface drill rig for quarrying and construction applications. It has a standard boom capable of drilling holes ...

PowerROC T45 is a tophammer drill rig optimized for larger construction work and quarry applications where simple flexibility in positioning is required. The ...

2.1 Intended Use of the Product The rock drill rig and related equipment are designed for drilling holes in opencast mines, in quarries, and on construction sites. It is designed solely for this ...

Ready to perform The surface drill rig PowerROC T45 has a low number of components and a modular and straightforward design. This allows for easy maintenance and high availability.

SmartROC T45 Surface drill rig for quarrying and construction Increased efficiency due to high capacity and further improved fuel consumption Safety and high availability thanks to a ...

Epiroc SmartRoc T45-10 blasthole drill rig fitted with GPS, and fire suppression and is reportedly in good mechanical condition. Located NSW Australia

The updated model includes several new features and options Epiroc's SmartROC T45 tophammer drill rig has been upgraded with a larger ...

There are two things you never need to compromise on with the SmartROC T45 - fuel efficiency and productivity. The key to its low fuel consumption is the advanced rig control system. The ...

The document provides operator instructions for the Epiroc PowerROC T45 drill rig, emphasizing safety and proper usage. It includes detailed sections on safety instructions, general operation, ...

SmartROC T45 Tophammer surface drill rig for quarrying and construction Folding boom hole diameter: 89-127 mm (3,5&quot;-5&quot;) Standard boom hole diameter: 89-140 mm (3,5&quot;-5,5&quot;)

R Ready to drill The surface drill rig PowerROC T45 has a low number of components due to a modular



## T45 drill rig

and straightforward design. This allows for easy maintenance and a drill rig that ...

Find 5 new & used EPIROC SMARTROC T45 Vertical Drills for sale near you with prices ranging from \$215,000 to \$650,000 at MachineryTrader

printmarks as possible on the environment. That's why the SmartROC T45 gives you the most energy efficient rig in its class. Its hydraulic system uses significantly less oil, compared to ...

There are two things the SmartROC T45 never compromises on - fuel efficiency and high productivity. The key to its incredible fuel efficiency is that it only uses the energy it needs for ...

Main components and selection of options Automation & software AutoPos MeasureWhile Drilling (MWD) Rig Control System (RCS) Rig Remote Access (RRA) Rig inclination indicator, analog

Description: Title: Atlas Copco FlexiROC T45 Rock Drill Used Atlas Copco FlexiROC T45 Rock Drill for sale. Engine Hours: 12,329 Hammer Hours: 930 ...

2013 Epiroc SmartRoc T45 blasthole drill rig with full-service history available. Serial number - AVO13A1381. Recently underwent a full rebuild and had a ...

The Epiroc SmartROC T45 is an efficient, productive top-hammer drill rig developed and designed for high performance in numerous ...

Keep your drill rigs running smoothly with Breakout Mechanical Solutions. Breakout Mechanical Solutions offers high-quality, durable spare parts for the leading drill rig brands Epiroc and ...

Orana Drilling specialized drilling Contractor. Civil construction, Quarry, Mining and Renewable Energy Projects in Bowen Basin, Mackay, Clermont, Ipswich and Toowoomba.

The Swedish manufacturer has seen a strong uptake in the SmartROC T45 series drill rig, both in the short feed for quarries and the long feed option for mining. The T45 is an all ...



## T45 drill rig

Web: <https://kwa-andries.co.za>