



## Watson 3110 drill rig specs

2017 Watson 3110 CM Double reduction mechanical rotary with 120,000 ft-lbs of torque 2-element friction Kelly with 80-ft max depth (hollow inner), 5' stub Controlled free-fall winch with two ...

Tools/Options: Watson 3110 Eagle Year: 2012: Approx. 3,010 Rig Hours, 130,000 ft lb Rotary Torque, Kelly Winchline Pull is 32,000#, Speed - 180 fpm, Service Winchline Pull is 18,000#. ...

Watson 2000 For a large drilling unit that also provides a quick over-the-road mobilization, Eastern Caisson utilizes its Watson 2000 rubber-tired drill rig. ...

Watson offers a wide range of customizable hydraulic and mechanical drill rigs built rugged to provide years of proven field performance and maintain a high ...

Hendrickson 5 Axels, Track: Standard, Yokes: Dana-Spicer, Rear axles Rockwell SSHD, capacity 46,000lb, track standard, Suspension Hendrickson R-440 ...

The torque and crowd available with the Model 3100 & 3110 provide the capacity to drill in difficult conditions, including hard rock and boulders. These units are ...

Watson 3110/3260 Model 3110/3260 Rigs The most powerful family of rigs in their class, designed to be transported in one load without disassembly. Flexibility provides you the customization ...

Maximum limit may be dependent upon ground conditions. Specifications subject to change depending on configuration. 250 5-15 &#169; 2015 Watson, Inc.

The Model 5000 Crane Attachment is an extremely versatile and powerful drilling unit typically mounted on a 40 ton or larger crane. Various options are available including a hydraulic slide ...

Watson 3110 CM sn17199 Double reduction mechanical rotary with 120,000 ft-lbs of torque 2-element friction Kelly with 80-ft max depth (hollow inner), 5' stub Controlled free-fall winch with ...

Slide Frame 88" slide on truck mount and 42" on crawler mount, increases drill radius for maximum drill radius of 165"(13'9"). Outriggers (Truck Mounted Only--Typically on Crane ...

SPECIFICATIONS:\$615,000 2000 hours on drill 3110TM-- 120,000 ft/lbs of Torque 3-bar square (10", 8", 6") Kelly - 95" drill depth J. Deere 6068 (IT-4) / Clark 4-speed 50,000 lb. Crowd 25,000 ...

3110 Standard Features ... Note: Both the truck mount and crawler mount are offered with a mechanical or



## Watson 3110 drill rig specs

hydraulic driven rotary, allowing a wider range of kelly options.

WATSON is a custom manufacturer that welcomes the opportunity to customize rigs. EX rigs can be mounted to numerous makes and models of excavators and further modified to fit specific ...

Watson 3110CM drill rig (6107 hrs) offers 120,000 ft-lbs torque & 80-ft max depth. Transportable at 95,000 lbs, it's available for \$475,000 or financing from Western Equipment Solutions



## Watson 3110 drill rig specs

Web: <https://kwa-andries.co.za>